

REGION KEY

- Whitetail
- Homestead
- Platte Valley
- River Front
- Niobrara
- Sunflower
- Cattlemen
- Iowa
- Chimney Rock
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	S
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

Rating Scale
 5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Solid agronomic package including SDS and IDC tolerance with top end yield
- Will respond to high yield environments
- Adapted to no-till
- Good on high pH soils

VARIETY AGRONOMICS

Maturity	2.2
Emergence	
Plant Height	Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Brown
Oil Content @ 13%	22.8
Protein Content @ 13%	38.3

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable





VARIETY HIGHLIGHTS

- Outstanding yield potential across product segments west to east
- Medium to medium-tall variety that will branch. Standability and PRR field tolerance are both above average
- Is an excluder with IDC rating of 5
- Manage placement around historic white mold or SDS high pressure fields



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region ■ ■ ■ ■

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	S
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.


VARIETY AGRONOMICS

Maturity	2.2
Emergence	
Plant Height	Medium
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Excluder
Flower Color	Purple
Pubescence Color	Light
Hilum Color	Black
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	N/A
PPO Sensitivity	Caution





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	S
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Medium tall to tall soybean that has above average standability
- IDC and SDS tolerances are very good
- Very good to excellent on high pH soils
- White mold tolerance is average


VARIETY AGRONOMICS

Maturity	2.4
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Brown
Oil Content @ 13%	21.63
Protein Content @ 13%	41.75

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	MR-MS
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Solid performance across yield environments
- Narrow and wide row option
- Irrigated and dryland option
- Has very good standability
- Above average on high pH soils


VARIETY AGRONOMICS

Maturity	2.6
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	N/A
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Gray
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	N/A
PPO Sensitivity	Sensitive





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Medium-tall variety with above average standability
- Rps1c variety with very good PRR field tolerance and white mold tolerance
- Chloride excluder
- Manage on historically high SDS fields
- Good on high pH soils

VARIETY AGRONOMICS

Maturity	2.7
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Excluder
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Gray
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.


Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.



VARIETY HIGHLIGHTS

- Attractive, medium-tall variety with very good standability
- Very good PRR field tolerance
- Manage placement on high pH or historically high SDS pressure fields



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	N/A
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.


VARIETY AGRONOMICS

Maturity	2.9
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Buff
Oil Content @ 13%	22.10
Protein Content @ 13%	39.48

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Very good emergence and good standability with this tall plant
- Good white mold resistance and very good tolerance to SDS
- Responds well in all yield environments
- Good on high pH fields


VARIETY AGRONOMICS

Maturity	3.0
Emergence	
Plant Height	Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Buff
Oil Content @ 13%	22.10
Protein Content @ 13%	39.48

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable





REGION KEY

Whitetail	Homestead
Platte Valley	River Front
Niobrara	Sunflower
Cattlemen	Iowa
Chimney Rock	Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	S
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Super strong appearance and high yield potential
- Excellent emergence and standability with a medium structured plant
- Use a seed treatment for best early performance
- Good on high pH soils


VARIETY AGRONOMICS

Maturity	3.2
Emergence	
Plant Height	Medium
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Tan
Oil Content @ 13%	22
Protein Content @ 13%	38.3

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Sensitive





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Excellent emergence and very good standability with a medium tall plant height
- Very strong agronomic package
- Works in narrow and wide rows
- Excellent choice on high pH fields


VARIETY AGRONOMICS

Maturity	3.4
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Brown
Oil Content @ 13%	21.4
Protein Content @ 13%	39.2

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Sensitive





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	N/A
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale
 5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Strong performance overall with outstanding yield
- Tall plant type with very good standability
- Good on high pH soils


VARIETY AGRONOMICS

Maturity	3.7
Emergence	
Plant Height	Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Light
Hilum Color	Black
Pod Color	Brown
Oil Content @ 13%	21.86
Protein Content @ 13%	41.21

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Sensitive





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	N/A
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Excellent disease package and solid agronomically
- SR tolerant
- Dryland and irrigated option in Kansas
- Manage placement on high pH or historically high SDS pressure fields


VARIETY AGRONOMICS

Maturity	3.9
Emergence	
Plant Height	Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Caution
PPO Sensitivity	Sensitive





REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	N/A
PRR Resistance	Rps1c
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Roundup Ready 2 Yield® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

VARIETY HIGHLIGHTS

- Strong performance in Kansas, southern Nebraska, and Southern Iowa
- Tall plant type with solid pod load up and down the plant
- Great phenotypic scores
- Above average SDS tolerance


VARIETY AGRONOMICS

Maturity	4.0
Emergence	
Plant Height	Medium-Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Excluder
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Brown
Oil Content @ 13%	22.19
Protein Content @ 13%	39.42

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Sensitive





REGION KEY

■ Whitetail	■ Homestead
■ Platte Valley	■ River Front
■ Niobrara	■ Sunflower
■ Cattlemen	■ Iowa
■ Chimney Rock	■ Texas

PLACEMENT RECOMMENDATION

Seed Region ■ ■ ■ ■

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1a3a
PRR Field Tolerance	
Soybean Cyst Nematode	Pi 88.788
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Medium-Tall to Tall plant height brings very good standability
- Great package with very good IDC and white mold
- Strong performance in all yield environments and management practices

VARIETY AGRONOMICS

Maturity	2.1
Emergence	
Plant Height	Medium-Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Brown
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

■ Whitetail	■ Homestead
■ Platte Valley	■ River Front
■ Niobrara	■ Sunflower
■ Cattlemen	■ Iowa
■ Chimney Rock	■ Texas

PLACEMENT RECOMMENDATION

Seed Region ■ ■ ■ ■

DISEASE & PEST RESISTANCE

Brown Stem Rot	NG
PRR Resistance	Rps1cH3a
PRR Field Tolerance	
Soybean Cyst Nematode	Pi 88.788
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Great plant style that lends itself to all soil types and geographies
- Good PRR package, SDS, IDS, and white mold tolerance
- Yield leader in this RM

VARIETY AGRONOMICS

Maturity	2.2
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	White
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent	3 = Good	2 = Fair
4 = Very Good	2.5 = Average	1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

■ Whitetail	■ Homestead
■ Platte Valley	■ River Front
■ Niobrara	■ Sunflower
■ Cattlemen	■ Iowa
■ Chimney Rock	■ Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1k
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Medium, semi-bush plant
- A great defensive package and plant style support a broad use
- Moves north of maturity zone
- Dryland and irrigated option
- Narrow or wide row option
- Excellent on high pH soils

VARIETY AGRONOMICS

Maturity	2.4
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	N/A
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	NG
PRR Resistance	Rps1a
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Unique plant style that brings significant height and good standability
- Manage on high pH soils
- Above average white mold tolerance

VARIETY AGRONOMICS

Maturity	2.6
Emergence	
Plant Height	Medium Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Brown
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Sensitive
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™® Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps1k
PRR Field Tolerance	
Soybean Cyst Nematode	Pi 88.788
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- #1 performing Enlist product in trials the last two years
- Excellent standability with awesome disease package
- Works in all soils and management practices

VARIETY AGRONOMICS

Maturity	2.7
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 2.5
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

Whitetail	Homestead
Platte Valley	River Front
Niobrara	Sunflower
Cattlemen	Iowa
Chimney Rock	Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	S
PRR Resistance	Rps H1k
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	N/A
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Very good plant structure and standability
- Very good stress tolerance
- Consistent variety across yield environments
- Performs well across broad acres
- Plant in narrow or wide rows
- Good on high pH soils

VARIETY AGRONOMICS

Maturity	2.9
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	N/A
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent	3 = Good	2 = Fair
4 = Very Good	2.5 = Average	1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	NG
PRR Resistance	NG
PRR Field Tolerance	
Soybean Cyst Nematode	Pi 88.788
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Medium-Tall with good standability
- PRR field, SDS, and white mold tolerance is excellent
- New yield leader for 3.0 maturity in Enlist family

VARIETY AGRONOMICS

Maturity	3.0
Emergence	
Plant Height	Medium-Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Imperfect Black
Pod Color	Brown
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

■ Whitetail	■ Homestead
■ Platte Valley	■ River Front
■ Niobrara	■ Sunflower
■ Cattlemen	■ Iowa
■ Chimney Rock	■ Texas

PLACEMENT RECOMMENDATION

Seed Region ■ ■ ■ ■ ■ ■

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	NG
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	N/A

VARIETY HIGHLIGHTS

- High performance across all zones
- Wide, bushier plant style with very good lodging notes
- Defensive package includes SCN, BSR, and IDC
- Excellent dryland and irrigated option

VARIETY AGRONOMICS

Maturity	3.1
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 3.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Gray
Hilum Color	Buff
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™® Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

- Whitetail
- Platte Valley
- Niobrara
- Cattlemen
- Chimney Rock
- Homestead
- River Front
- Sunflower
- Iowa
- Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	R
PRR Resistance	Rps 1k
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Yield King, two years running
- Two year observations show excellent SDS tolerance
- Stunning late season plant health
- Dryland and irrigated option
- Works in wide and narrow rows

VARIETY AGRONOMICS

Maturity	3.6
Emergence	
Plant Height	Medium-Tall
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	Purple
Pubescence Color	Light Tawny
Hilum Color	Black
Pod Color	Brown
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY


Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
 4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.



REGION KEY

■ Whitetail	■ Homestead
■ Platte Valley	■ River Front
■ Niobrara	■ Sunflower
■ Cattlemen	■ Iowa
■ Chimney Rock	■ Texas

PLACEMENT RECOMMENDATION

Seed Region

DISEASE & PEST RESISTANCE

Brown Stem Rot	NG
PRR Resistance	Rps 1k
PRR Field Tolerance	
Soybean Cyst Nematode	R
Southern Stem Canker	R
Sudden Death Syndrome	
White Mold	

VARIETY HIGHLIGHTS

- Works great in high yield environments
- Excellent lodging and late season plant health
- Great dryland and irrigated option
- Excellent standability and emergence

VARIETY AGRONOMICS

Maturity	3.9
Emergence	
Plant Height	Medium+
Plant Type	Medium Bush 2.0
Growth Habit	Indeterminate
Standability	
Iron Deficiency Chlorosis	
No-till Adaptability	
Narrow Row	
Chloride Sensitivity	Includer
Flower Color	White
Pubescence Color	Light Tawny
Hilum Color	Brown
Pod Color	Tan
Oil Content @ 13%	N/A
Protein Content @ 13%	N/A

HERBICIDE SENSITIVITY

Metribuzin Sensitivity	Acceptable
PPO Sensitivity	Acceptable

Rating Scale

5 = Excellent 3 = Good 2 = Fair
4 = Very Good 2.5 = Average 1 = Poor

Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.